INDEX TO VOLUME LVII

INDEX TO AUTHORS AND TITLES

Barksdale, Alma Whiffen. Achlya ambisexualis and a new cross-conjugating species of Achlya 493

——. See Mullins and Barksdale 352

——, **M. J. Carlile, and Leonard Machlis.** A comparative study of hormone A and sirenin 138

Baxter, John W. Studies of North American species of Ravenelia 77

Belsky, Melvin M., and Solomon Goldstein. Effect of fungistatic and bacteriostatic compounds on nonfilamentous marine Phycomycetes 831

Benjamin, C. R. See Christensen et al. 535

Berliner, Martha D., and Peter W. Neurath. The rhythms of three clock mutants of Ascobolus immersus 809

Bonar, Lee. Studies on some California fungi IV 379

Bruehl, G. W. See Hoes et al. 904

Burdsall, Harold H., Jr. Operculate asci and puffing of ascospores in Geopora (Tuberales) 485

Bynum, H. H. Effect of incense-cedar heartwood extract on growth of Polyporus amarus 642

Cappellini, R. A., and J. L. Peterson. Macroconidium formation in submerged cultures by a nonsporulating strain of Gibberella zeae 962

Carlile, M. J. See Barksdale et al. 138

Castleberry, M. W. See Sinski et al. 431

Cavaliere, A. R. See Wolf and Cavaliere 576

——, **and T. W. Johnson, Jr.** A new marine ascomycete from Australia 927

Christensen, C. M. See Welty and Christensen 311

——, **L. C. López F., and C. R. Benjamin.** A new Eurotium from rough rice stored in Mexico 535

Christensen, Martha, and W. F. Whittingham. The soil microfungi of open bogs and conifer swamps in Wisconsin 882

Collins, O'Neil Ray. Evidence for a mutation at the incompatibility locus in the slime mold, Didymium iridis 314

Colotelo, Nicholas. See Netolitzky and Colotelo 977

Conant, Norman F. See Sinski et al. 431

Cooke, Wm. Bridge. The enumeration of yeast populations in a sewage treatment plant 696

——. See Lowy and Cooke 478

Cummins, George B. Four new rust fungi 818

Davidson, Ross W., and Robena C. Robinson-Jeffrey. New records of Ceratocystis europhioides and C. huntii with Verticicladiella imperfect stages from conifers 488

Davis, Elmer E. Preservation of Myxomycetes 986

INDEX TO VOLUME LVII

INDEX TO AUTHORS AND TITLES

Barksdale, Alma Whiffen. Achlya ambisexualis and a new cross-conjugating species of Achlya 493

——. See Mullins and Barksdale 352

——, **M. J. Carlile, and Leonard Machlis.** A comparative study of hormone A and sirenin 138

Baxter, John W. Studies of North American species of Ravenelia 77

Belsky, Melvin M., and Solomon Goldstein. Effect of fungistatic and bacteriostatic compounds on nonfilamentous marine Phycomycetes 831

Benjamin, C. R. See Christensen et al. 535

Berliner, Martha D., and Peter W. Neurath. The rhythms of three clock mutants of Ascobolus immersus 809

Bonar, Lee. Studies on some California fungi IV 379

Bruehl, G. W. See Hoes et al. 904

Burdsall, Harold H., Jr. Operculate asci and puffing of ascospores in Geopora (Tuberales) 485

Bynum, H. H. Effect of incense-cedar heartwood extract on growth of Polyporus amarus 642

Cappellini, R. A., and J. L. Peterson. Macroconidium formation in submerged cultures by a nonsporulating strain of Gibberella zeae 962

Carlile, M. J. See Barksdale et al. 138

Castleberry, M. W. See Sinski et al. 431

Cavaliere, A. R. See Wolf and Cavaliere 576

——, **and T. W. Johnson, Jr.** A new marine ascomycete from Australia 927

Christensen, C. M. See Welty and Christensen 311

——, **L. C. López F., and C. R. Benjamin.** A new Eurotium from rough rice stored in Mexico 535

Christensen, Martha, and W. F. Whittingham. The soil microfungi of open bogs and conifer swamps in Wisconsin 882

Collins, O'Neil Ray. Evidence for a mutation at the incompatibility locus in the slime mold, Didymium iridis 314

Colotelo, Nicholas. See Netolitzky and Colotelo 977

Conant, Norman F. See Sinski et al. 431

Cooke, Wm. Bridge. The enumeration of yeast populations in a sewage treatment plant 696

——. See Lowy and Cooke 478

Cummins, George B. Four new rust fungi 818

Davidson, Ross W., and Robena C. Robinson-Jeffrey. New records of Ceratocystis europhioides and C. huntii with Verticicladiella imperfect stages from conifers 488

Davis, Elmer E. Preservation of Myxomycetes 986

Denison, William C. Central American Pezizales. I. A new genus of the Sarcoscyphaceae 649
DeVay, J. E. See Lukezic and DeVay 442
Dick, Esther A., and Walter H. Snell. Notes on boletes. XV 448
Dick, M. W. The maintenance of stock cultures of Saprolegniaceae 828
Drechsler, Charles. A robust Conidiobolus with zygospores containing granular parietal protoplasm 913
Duran, Ruben, and K. M. Safeeulla. Teliospore germination and genetic factors controlling compatibility in Ustilago hilariicola 628
El-Ani, Arif S. Protosexual yeasts 134
——, **and M. A. Gordon.** The ascospore sheath and taxonomy of Leptosphaeria senegalensis 275
Ellis, J. J., and C. W. Hesseltine. The genus Absidia: globose-spored species 222
Fergus, C. L. See Lopez and Fergus 897
Finley, David E. See Morris and Finley 483
Fischer, George W. The romance of the smut fungi 331
French, D. W. See Wood and French 766
Frey, Dorothea. Isolation of keratinophilic and other fungi from soils collected in Australia and New Guinea 202
Fuller, Melvin S., and Rudolf Reichle. The zoospore and early development of Rhizidiomyces apophysatus 946
Furtado, João S. Relation of microstructures to the taxonomy of the Ganodermoideae (Polyporaceae) with special reference to the structure of the cover of the pilear surface 588
——. Ganoderma colossum and the status of Tomophagus 979
Gauger, Wendell. The germination of zygospores of Mucor hiemalis 634
Gerdemann, J. W. Vesicular-arbuscular mycorrhizae formed on maize and tuliptree by Endogone fasciculata 562
Gilbertson, Robert L. Resupinate hydnaceous fungi of North America V. Type studies of species described by Berkeley and Curtis 845
——. See Lombard and Gilbertson 43
Goldstein, Solomon. See Belsky and Goldstein 831
Goldstrohm, Donald D., and Virgil Greene Lilly. The effect of light on the survival of pigmented and nonpigmented cells of Dacryopinax spathularia 612
Goos, R. D., and Everett F. Morris. Murogenella terrophila—a new dematiaceous fungus from soil 776
——, **and Flora G. Pollack.** An illustration of the need for multiple techniques for the preservation of fungus cultures 975
Gordon, M. A. See El-Ani and Gordon 275
Gruen, Hans E. The production of indoleacetic acid by Phycomyces blakesleeanus 683
Grund, Darryl W., and Currie D. Marr. New methods for demonstrating carminophilous granulation 583
Hacskaylo, Edward, John G. Palmer, and J. A. Vozzo. Effect of temperature on growth and respiration of ectotrophic mycorrhizal fungi 748
Hanlin, Richard T. Lamprospora planchonis from Georgia 131
Hardin, Hilliard F. See Sinski et al. 431
Harnish, Wayne N. Effect of light on production of oospores and sporangia in species of Phytophthora 85

Hennen, Joe F. The species of Uromyces parasitic on the grass tribe Andropogoneae 104
Hervey, Annette. See Robbins and Hervey 262
Hesseltine, C. W. A millennium of fungi, food, and fermentation 149
——. See Ellis and Hesseltine 222
Himelick, E. B. See Neely and Himelick 834
Hine, Richard B. The influence of age, starvation, and nutrition on endogenous respiration of mycelium of Pythium aphanidermatum 36
Hodges, Charles S. See Nelson and Hodges 822
Hoes, J. A., G. W. Bruehl, and C. G. Shaw. A new Pseudostemphylium 904
Johnson, G. T. See Talburt and Johnson 660
Johnson, T. W., Jr. See Cavaliere and Johnson 927
Kempton, Phyllis E. See Wells and Kempton 316
Kendrick, W. Bryce. Overcrowding in fungus generic names 319
Klein, Richard M. See Lazo and Klein 804
Kowalski, Donald T. The development and cytology of Melanospora tiffanii 279
——. The development and cytology of Didymocrea sadasavanii 404
Lazo, Waldo R., and Richard M. Klein. Some physical factors involved in actinolichen formation 804
Leach, Charles M. Detection of ultraviolet absorbing substances in living mycelium of fungi 291
Leppik, E. E. Some viewpoints on the phylogeny of rust fungi. V. Evolution of biological specialization 6
Liberta, Anthony E. Notes on Wisconsin resupinate Basidiomycetes 459
——. A new species of Xenasma 967
Lilly, Virgil Greene. See Goldstrohm and Lilly 612
Lombard, Frances F., and Robert L. Gilbertson. Studies on some western Porias with negative or weak oxidase reactions 43
López F., L. C. See Christensen et al. 535
Lopez, M. E., and C. L. Fergus. The carbon and nitrogen nutrition of Fusarium roseum 897
Lowe, E. P. See Sinski et al. 431
Lowy, Bernard, and Wm. Bridge Cooke. The 1960 Louisiana foray 478
Lukezic, F. L., and J. E. DeVay. Serological relationships between pathogenic and nonpathogenic isolates of Leucostoma persoonii and Rhodosticta quercina 442
McDonald, James C. Studies on the genus Archangium (Myxobacterales) I. Morphology 737
——. See Ward and McDonald 757
Machlis, Leonard. See Barksdale et al. 138
Magasi, Laszlo P. Conidial discharge in Dacrymyces 136
Maniotis, James. A cleistothecial mutant of the perithecial fungus Gelasinospora calospora 23
Marr, Currie D. See Grund and Marr 583
Miller, Orson K., Jr. Three new species of lignicolous agarics in the Tricholomataceae 933
Moore, Elizabeth J. Ontogeny of gelatinous fungi 114
Morris, Everett F. See Goos and Morris 776
——, **and David E. Finley.** A new genus based on Isaria palmae 483
Mullins, J. T. Addendum to "Parasitism of the chytrid Dictyomorpha dioica" 989

Mullins, J. Thomas, and Alma W. Barksdale. Parasitism of the chytrid Dictomorpha dioica 352

Neely, Dan, and E. B. Himelick. Nomenclature of the sycamore anthracnose fungus 834

Nelson, R. R. The perfect stage of Helminthosporium pedicellatum 665

——. The genetic control of mating type in Cochliobolus lunatus and Cochliobolus intermedius 984

——, **and Charles S. Hodges.** A new species of Curvularia with a protuberant conidial hilum 822

Netolitzky, Hans J., and Nicholas Colotelo. Nuclear studies of Plenodomus meliloti 977

Neurath, Peter W. See Berliner and Neurath 809

Nicolás, G., and J. R. Villanueva. Physiological studies on the rust hyperparasite Darluca filum. I. Carbon and nitrogen nutrition 782

Pady, S. M. See Pathak and Pady 301

Palmer, John G. See Hacskaylo et al. 748

Papavizas, George C. Comparative studies of single-basidiospore isolates of Pellicularia filamentosa and Pellicularia praticola 91

Pappelis, A. J., and Walter E. Schmid. Comparative nutrient element content of two yeast extracts 974

Parag, Y. Common-B heterokaryosis and fruiting in Schizophyllum commume 543

Pathak, V. K., and S. M. Pady. Numbers and viability of certain airborne fungus spores 301

Petersen, Ronald H. Notes on clavarioid fungi. IV. Nomenclature and synonymy of Clavulinopsis pulchra and Clavaria laeticolor 521

Peterson, J. L. See Cappellini and Peterson 962

——. See Rynearson and Peterson 761

Peterson, R. S. Notes on western rust fungi. IV 465

Pirozynski, K. A. Ovulariopsis state of Pleochaeta 826

Plunkett, O. A. See Pore et al. 969

Pollack, Flora G. See Goos and Pollack 975

Pore, R. S., G. C. Tsao, and O. A. Plunkett. A new species of Arthroderma established according to biological species concepts 969

Rall, Gloria. Soil fungi from the alpine zone of the Medicine Bow Mountains, Wyoming 872

Ray, John G. See Sinski et al. 431

Reichle, Rudolf. See Fuller and Reichle 946

Robbins, William J., and Annette Hervey. Manganese, calcium and filtrate factor for Morchella crassipes 262

Robinson-Jeffrey, Robena C. See Davidson and Robinson-Jeffrey 488

Rogers, Jack D. The conidial stage of Coniochaeta ligniaria: morphology and cytology 368

——. Hypoxlyon fuscum. I. Cytology of the ascus 789

Rosinski, Martin A. Further confirmation of the occurrence of cellulose in Ceratocystis ulmi 668

Ross, Ian K., and L. Diane Sunshine. The effect of quinic acid and similar compounds on the growth and development of Physarum flavicomum in pure culture 360

Rotem, Joseph. See Schein and Rotem 397

Rynearson, Tamara K., and J. L. Peterson. Selective isolation of paraffinolytic fungi using a direct soil-baiting method 761
Safeeulla, K. M. See Duran and Safeeulla 628
Saho, Haruyoshi, and C. Gardner Shaw. Production of vesicles on artificial media by aeciospores of Cronartium ribicola 663
Savile, D. B. O. A new rust on Erigeron 476
Schein, Richard D., and Joseph Rotem. Temperature and humidity effects on uredospore viability 397
Schmid, Walter E. See Pappelis and Schmid 974
Schnathorst, W. C. Origin of new growth in dormant microsclerotial masses of Verticillium albo-atrum 343
Sehgal, S. N. See Vézina et al. 722
Shaffer, Robert L. Poisoning by Pholiota squarrosa 318
——, **and Margaret G. Weaver.** A new species of Crinipellis 472
Shaw, C. Gardner. See Saho and Shaw 663
——. See Hoes et al. 904
Simmons, Emory G. Alternaria chrysanthemi 140
Simms, Horace R. Frozen freehand sections of fleshy fungi 833
Singh, Kartar. See Vézina et al. 722
Sinski, James T., E. P. Lowe, Norman F. Conant, Hilliard F. Hardin, M. W. Castleberry, and John G. Ray, Jr. Immunization against experimental lethal simian coccidioidomycosis using whole killed arthrospores and cell fraction 431
Snell, Walter H. See Dick and Snell 448
Sprague, Roderick. An undescribed Heterosporium on Petunia 657
Sparrow, F. K. Concerning Physoderma graminis 624
Sunshine, L. Diane. See Ross and Sunshine 360
Talburt, Dwight E., and G. T. Johnson. Plasmoptysis of filamentous fungi 660
Tavares, Isabelle I. Thallus development in Herpomyces paranensis (Laboulbeniales) 704
Thiers, Harry D. California boletes. I 524
Treshow, Michael. Response of some pathogenic fungi to sodium fluoride 216
Tsao, G. C. See Pore et al. 969
Vaartaja, O. New Pythium species from south Australia 417
Vézina, Claude, Kartar Singh, and S. N. Sehgal. Sporulation of filamentous fungi in submerged culture 722
Villanueva, J. R. See Nicolás and Villanueva 782
Vozzo, J. A. See Hacskaylo et al. 748
Walters, Maurice B. Pholiota spectabilis, a hallucinogenic fungus 837
Ward, John E., Jr., and James C. McDonald. A new species of Psathyrella from North Carolina 757
Weaver, Margaret G. See Shaffer and Weaver 472
Welden, A. L. West Indian species of Vararia with notes on extralimital species 502
Wells, Kenneth. Ultrastructural features of developing and mature basidia and basidiospores of Schizophyllum commune 236
Wells, Virginia L., and Phyllis E. Kempton. Togaria aurea in Alaska 316
Welty, R. E., and C. M. Christensen. Negatively phototropic growth of Aspergillus restrictus 311
Whittingham, W. F. See Christensen and Whittingham 882

Wolf, F. A., and A. R. Cavaliere. Two new species of leafblight fungi on Kalmia latifolia 576

Wood, Francis A., and D. W. French. Microorganisms associated with Hypoxylon pruinatum 766

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

Announcement—Mycologia Memoirs No. 1 989

Apinis, A. E. Revision of British Gymnoascaceae; review 678

Baker, K. F., and W. C. Snyder (ed.). Ecology of soil-borne plant pathogens: prelude to biological control; review 991

Baldacci, Elio. Raffaele Ciferri (1897–1964); biography 198

Barron, A. L. E. Using the microscope; review 992

Christensen, Clyde M. Common fleshy fungi; review 675

Cooney, Donald G., and Ralph Emerson. Thermophilic fungi; review 324

Culberson, William Louis (ed.). The collected lichenological papers of Edward Tuckerman; review 992

Essette, Henri. Les Psalliotes; review 675

Gardner, M. W., and H. Kern. Ernst Albert Gäumann, 1893–1963; biography 1

Gäumann, Ernst. Die Pilze, Grundzuge ihrer Entwicklungsgeschichte und Morphologie; review 146

Hennig, Bruno. Taschenbuch für Pilzfreunde; review 145

——. Michael/Hennig Handbuch für Pilzfreunde; review 144

Horsfall, J. G., and K. F. Baker (ed.). Annual review of phytopathology. Volume 2; review 677

Karling, John S. Synchytrium; review 325

Kern, Frank D. Dr. Carlos E. Chardon (1897–1965); biography 839

Kern, H. See Gardner and Kern 1

Large, E. C. The advance of the fungi; review 992

Mani, M. S. Ecology of plant galls; review 145

Mycologia—financial reports 491, 990

Negroni, Pablo. Histoplasmosis: diagnosis and treatment; review 676

Notices 322, 491, 681, 838

Plakidas, A. G. Strawberry diseases; review 329

Smith, Alexander H., and Harry D. Thiers. A contribution toward a monograph of North American species of Suillus; review 669

——, **and Rolf Singer.** A monograph of the genus Galerina Earle; review 679

Smith, H., and Joan Taylor (ed.). Microbial behaviour, 'in vivo' and 'in vitro'; review 144

Stolman, A. (ed.). Progress in chemical toxicology. Vol. 1; review 324

Waterhouse, Grace M. The genus Sclerospora—diagnoses (or descriptions) from the original papers and a key; review 678

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type.** An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text.

Absidia 222–235; asparagi 225; blakesleeana 234; **californica 223, 230–234**; coerulea 223, 225–234; corymbifera 222; glauca 222–226, 229, 232–234, 877, 878; glauca var. asparagi 226; var. paradoxa 225, 226; gracilis 225; heterospora 222; orchidis 226–230; reflexa 233, 234; regnieri 234; scabra 233, 234; septata 232, 234; sphaerosporangioides 222, 225, 226; tieghemi 226, 229
Acetobacter 150, 153, 178, 191
Achlya 139, 352, 357, 493–501, 828; subg. Achyla 354; subg. Centroachlya 354; subg. Subcentrica 354; ambisexualis 139, 354, 493–501, 830; americana 354; apiculata 354, 830; bisexualis 354, 493–500, 830; caroliniana 354, 830; colorata 354, 830; conspicua 354, 500; flagellata 353–358, 500, 830; flexuosa 500; glomerata 354; **heterosexualis 493–501**; imperfecta 355; klebsiana 354, 357, 495, 500; megasperma 830; mucronata 354; papillosa 354; proliferoides 357; racemosa 354, 830; radiosa 830; recurva 354, 830; treleasena 354; turfosa 830
Acrostaphylus 886
Acrothecium lunatum 210
Actinomucor 154; elegans 153, 165, 167, 190
Aecidium decipiens 819
Aerobacter aerogenes 364
Agaricus applicatus 858; aureus 317; campestris 558; vahlei 317
Agrobacterium tumefaciens 179
Albugo candida 946
Aleurisma keratinophilum 202, 205
Aleurodiscus 505; penicillatus 390
Allantonectria yuccae 382
Allomyces 139, 951, 957; arbusculus 36, 139, 946; cystogenus 36; javanicus 36; macrogynus 139, 953; moniliformis 36
Alternaria 301–303, 308, 309, 698, 771, 774, 910, 911; **chrysanthemi 140–142**, 143, 291; oleraceae 216–219
Amanita 481; caesaria 478, 481; porphyria 586; rubescens 481, 749–756; vaginata 481; verna 481
Amauroderma 588–608; batanense 589, 594, 595; calcigenum 599; flaviporum 604; infundibuliforme 592; intermedium 589, 596, 599, 601; longipes 589–600; paulense 589, 594, 596, 601; pseudoboletum 591, 593; ramosii 589, 594, 599; regulicolor 589, 593, 594; scopulosum 605
Anixiella 23; reticulata 24, 27, 29
Anixiopsis peruviana 208; stercoraria 203, 207–210
Anthracophyllum 586; lateritium 481
Apiognomonia errabunda 836; veneta 836
Apiospora 835
Apodachlya brachynema 830; minima 830
Apodachlyella completa 830
Arcangelia hepaticarum 385
Archangium 737–747; flavum 738; gephyra 737–747; primigenium 737–747; serpens 737; thaxteri 738; violaceum 738
Arachnion album 481
Arcyria cinerea 480; denudata 480; incarnata 480; oerstedii 480
Armillaria mellea 642; zelleri 586
Arthrobotrys conoides 974
Arthroderma 969–973; cuniculi 970; **lenticularum 970–972**; multifidum 970; quadrifidum 969–971; simii 970; tuberculatum 202–204, 970; uncinatum 210, 970, 971
Ascobolus immersus 809–817
Ascochyta pisi 291–298
Ascodesmis nigricans 480; sphaerospora 480
Aspergillus 186, 535, 540, 541, 698, 763; citrisporus 886, 889; flavus 188; fonsecaeus 733, 734; fumigatus 886, 889; glaucus 185, 188, 537; **heterocaryoticus 536**; niger 219, 266, 660–662; ochraceus 188, 723, 725–729; 732, 734; oryzae 153–155, 166–189, 194, 219; restrictus 311–313; soyae 170, 175, 176; sulphureus 763, 764; terreus 219; ustus 763, 764
Asterostroma 505; epigaeum 510, 512
Asterostromella 506; dura 519; rhodospora 512
Aureobasidium 698
Auricularia auricula 481; fuscosuccinea 481; polytricha 481

Bacillus 186, 722; natto 191; subtilis 153, 191
Badhamia curtisii 360
Basidiobolus magnus 915
Beauveria tenella 877, 878, 886

Betabacterium vermiforme 195
Bipolaris 824, 910, 985
Bisporomyces chlamydosporis 886, 892
Bjerkandera adusta 481
Blakeslea trispora 639
Biastocladiella emersonii 36, 946, 953, 957, 959
Boletellus projectellus 448; russellii 449
Boletus 481, 483; sect. Luridi 524; sect. Subpruinosi 532; appendiculatus 534; badiceps 452; calopus 534; discolor 450, 451; eastwoodiae 524–527; edulis subsp. **aurantioruber 454;** subsp. **subcaerulescens 455;** erythropus **524–530**; felleus 452; ferrugineus 452; flammans 453; flavissimus 450; fraternus 453; indecisus 452; junquilleus 450, 451; lignicola 451; miniatoolivaceus 450; modestus 449; pseudodecorus 452; pseudosulphureus 450, 451; **puniceus** 524, **529,** 530; queletii 450, 451; radicans 449; rubellus 532; subsp. fraternus 453; subsp. **rubeus 453;** rubeus 453; **rubripes 532–534;** satanas 481, 524–529; **smithii 530–532**; subdecorus 452; subpunctipes 452; subvelutipes 529, 530; vaillantii 70
Bombardia 480; arachnoidea 480
Botrytis cinerea 216–228, 886
Boudierella coronata 207
Brevilegnia bispora 830
Bulgaria inquinans 114–128; polymorpha 124
Bullera 138
Burrillia 335

Caeoma dubium 13; pedatatum 111
Caeomurus andropogonis 111
Callistosporium luteoolivaceum 586
Calocera cornea 481; viscosa 620
Calonema aureum 480
Calyptospora 15
Calyptralegnia 353, 357; achlyoides 355, 830
Candida 699; guilliermondii 167, 187, 188; tropicalis 188
Cantharellula umbonata 586
Cantharellus 481; cibarius 481; lutescens 481
Capnodiastrum 320
Capnodiella 320
Capnodina 320
Capnolinula 320
Capnodiopsis 320
Capnodium 320
Catathelasma imperiale 586
Catenularia 892; heimii 886, 887
Cenococcum graniforme 748–756
Cephaleuros 483
Cephalosporium 373, 483, 886–891
Ceratiomyxa fruticulosa 480
Ceratocystis europhioides 488–490; huntii 488–490; ulmi 668
Cercospora 301–305, 308, 309; glomerata 395; rubi 483
Cerenella ravenelii 481
Cerinomyces pallidus 459
Chaetomidium fimeti 34
Chaetomium 34, 763, 771–774; globosum 877, 879, 886; pachypodioides 886; sphaerale 886
Chaetosphaeria 931
Chaetostylum 168
Chalara 888
Chlamydomucor 151; oryzae 164
Chloridium 886
Chondromyces serpens 737
Chrysomyxa 18; abietis 13; alpina, 13, arctostaphyli 13; cassandrae 13; chiogensis 13; dietelii 13; empetri 13; expansa 13; farlowi 13; himalensis 13; ilicina 13; ledi 13, ledicola 13; menziesiae 13; piceae 13; piperiana 13; pyrolatum 13; ramischiae 13; rhododendri 13; roanensis 13; weirii 13; woronini 13
Chrysoscyclus 15
Chrysosporium 202–204, 210, 213; keratinophilum 203, 205; pannorum 886–897
Chytridium 957
Cladochytrium butomi 624; graminis 624–627
Cladosporium 186, 301–304, 308, 309, 886, 888; cladosporioides 877, 879
Clasterosporium 395
Clastoderma debaryanum 480
Clavaria fusiformis 521; inaequalis 522; laeticolor 521–523; platyclada 522; pulchra 521
Clavicorona pyxidata 481
Clavulina amethystinoides 481; cristata 481
Clavulinopsis 521; aurantio-cinnabarina 481; fusiformis 522; **laeticolor 522;** luteo-alba 522; pulchra 521–523
Clitocybe 317; cerussata var. difformis 586; gibba 586; tabescens 642
Coccidioides immitis 199, 431–441
Cochliobolus 667, 824, 825; heterostrophus 31; intermedius 984–986; lunatus 984–986; spiciferus 985
Coelographium 2
Colletotrichum 580; lindemuthianum 216–219
Collybia confluens 586
Colonnaria columnata 481
Coltricia cinnamomea 481
Comatricha longa 480; pulchella 480; typhoides 480

Conidiobolus 207, 733, 913–926; **eurymitus 913**–926; stromoideus 918, 919, 925; utriculosus 913, 925, 926; villosus 207
Coniochaete 886, 891, 892; elaeicola 368, 375; leucoplaca 368, 375, 480; ligniaria 368–378; tetraspora 368
Coniophora 505
Coniothyrium 733, 886
Cookeina 654, 655; tricholoma 653
Coprinus 319; fimetarius 545; lagopus 555; picaceus 544
Cordyceps michiganensis 480; militaris 877, 878
Coriolellus sinuosus 72
Coriolus membranaceus 481; sector 481; versicolor 481
Corticium 481, 506; sect. Trichostroma 519; bicolor 459; furfuraceum 459, 460; hariotii 460; investiens 515; pelliculare 481
Cortinarius 481; malicorius 586
Coryne cylichnium 114–128; urnalis 122
Corynella 114–128
Corynespora 776
Coryneum 776
Craterellus 481; cornucopioides 481
Craterium leucocephalum 480; paraguayense 480
Crepidotus 481
Cribraria intricata 480; microcarpa 480; violacea 480
Crinipellis sect. Crinipellis subsect. Stipitarinae 474; **cremoricolor 472**–475; zonata 474, 475, 586
Cronartium ribicola 469, 663–665
Cryptococcus 699; laurentii 886–892; terreus 887, 888
Ctenomyces serratus 203; trichophyticus 969
Cudonia circinans 125; lutea 114–128
Cumminsiella 821
Cunninghamella 763; blakesleeana 733
Curvularia 307, 822–825, 985; clavata 822; geniculata 825; intermedia 825, 984; lunata 203, 210, 211, 733, 822, 825, 984; maculans 985; pallescens 733; **protuberata 823**–825; trifolii 822, 825
Cyathipodia macropus 480
Cyathus 555; stercoreus 481, 545; striatus 481
Cylindrocarpon 888; didymum 886
Cymatoderma caperatum 481; fuscum 481
Cyphellopsis anomala 481, 482
Cystobasidium 14, 18; lasioboli 8
Cystoderma granulosum 586
Cytospora 771, 774; leucostoma 442; rubescens 216–218
Dacrymyces 136–138; deliquescens 137, 138; ellisii 136, 138, 620; palmatus 482; stillatus 620
Dacryopinax spathularia 482, 612–623
Daedalea aesculi 482
Daldinia 799; concentrica 802; vernicosa 802
Darluca filum 782–788
Dasyspora 15
Debaryomyces 886
Delitschia didyma 480; patagonica 480
Dematium 185; chodati 189
Dendrophagus 979; colossus 980
Dentipellis 853
Dermatocystidium 831, 832
Desmella 14–18
Diacanthoides philippinensis 482
Diaporthe 576, 580; arctii 581; batatatis 581; citri 581; eres 581, 582; **kalmiae 578, 581**; ligustrina 582; phaseolarum 581; sojae 580; tuberculosa 582; var. corymbosa 582; vaccinii 582
Dichostereum 519
Dictydiaethalium plumbeum 480
Dictydium cancellatum 480
Dictyomorpha dioica 352–359, 989
Dictyopus 450
Dictyuchus 353, 357; anomalus 357; monosporus 355, 357; sterile 355
Didymella hepaticarum 385
Didymium iridis 314, 315, 480, 986, 987; nigripes 480
Didymocrea 405; sadasavanii 404, **405**–416
Didymosphaeria futilis 404; sadasavanii 404–407; vizeana 383
Didymostilbe 483
Dimerium hypoxylon 480
Diplodia 580
Diploplenodomus **fungicola 389**
Discosia 483; quercina 835
Dispira cornuta 358
Ditopella **asclepiadea 382**, 383; hosackiae 384
Dothidea sambuci 379
Dothiorellina **quickii 329**
Drechslera 910

Echinodontium tinctorium 642
Edythea 15
Eichleriella deglubens 865; spinulosum 865
Elfvingia 588, 590, 604, 606; williamsiana 590
Emericella 537; variecolor 200
Empusa muscae 913
Endogone fasciculata 562–575; microcarpa 564; vesiculifera 562
Endomyces 199
Endomycopsis fibuliger 195
Enterobacter aerogenes 986, 987

Entoloma 483
Entomophthora aphidis 919; coronata 203–207; dipterigena 919; muscae 913; rhizospora 919; variabilis 919
Entyloma 334; dactylidis 338
Eocronartium 14, 15, 18; muscicola 13
Epicoccum 771, 774; nigrum 774
Erysiphe cichoracearum 309
Europhium 488
Eurotium 535–542; halophilicum 538; **heterocaryoticum 535–542**; stercorarium 209
Exidia glandulosa 480; nucleata 243, 245, 253, 255

Favolus brasiliensis 482; rhipidium 482
Flammulina velutipes 586
Fomes 604; adamantinus 589, 592; fullageri 589, 592; igniarius 642; officinalis 55; pini 642; rimosus 647; subamboinensis 607; warburgianus 605
Fomitella supina 482
Fomitopsis pinicola 589–592; scutellata 482
Furcaspora 391; pinicola 391, 392
Fusarium 3, 186, 279, 280, 287, 305, 308, 698, 877, 964; aquaeductuum 620; conglomerans 733; culmorum 900, 902; decemcellulare 733; episphaeria 886, 887; equiseti 733; graminearum 733; merismoides 733; moniliforme 723, 729–734; nervisequum f. platani 834; oxysporum 620, 733, 900, 902; platani 834, 835; roseum 879, 897–903; sambucinum var. coeruleum 901, 902; solani 36, 962
Fuscoboletinus sinuspaulianus 457
Fusicladium **gnaphaliatum 392,** 394; **poricola 393,** 394

Galerina 586
Ganoderma 588–608; sect. Amauroderma 604; sect. Ganoderma 604; applanatum 589, 590, 594, 595, 607; boninense 606; colossum 979–984; leucocreas 606; lobatum 482; neglectum 607; obokense 981; opacum 589, 590, 594, 599, 602; rivulosum 607; tsugae 589, 594, 595; williamsianum 590
Geastrum fimbriatum 482; saccatum 482
Gelasinospora 135; calospora 23–35, 975, 976; tetrasperma 886, 887
Geodina 649–656; guanacastensis 650–656
Geolegnia 830; septisporangia 830
Geopora 485–488; cooperi 486, 487
Georgefischeria 335
Geotrichum 698; candidum 188, 886–892
Gibberella fujikuroi 723; zeae 962–966
Gliocephalotrichum 478; bulbilium 483
Gliocladium 886; roseum 877, 879; roseum var. **viride 877,** 879
Gloeocystidiellum 853
Gloeophyllum sepiarium 482; trabeum 482
Gloeoporus conchoides 482; dichrous 482
Gloeosporium nervisequum 834, 835; platani 834–836; quercinum 835
Gloeotulasnella calospora 461
Glomerella cingulata 31
Gnomonia platani 835, 836; veneta 835, 836
Godronia abieticola 389
Gonatobotryum fuscum 358
Gongronella 222
Goplana 15
Grammothele grisea 856
Grandinia 518; accumulata 847, 848, 868; farinacea 461; tomentosa 866; tuberculata 867
Graphium 886
Gymnoascus 877
Gymnopilus 586
Gymnosporangium 18, 466; nidus-avis 255
Gyroporus purpurinus 449

Haloguignardia 931
Hansenula 135, 153, 699; anomala 164, 188; subpelliculosa 176, 177
Haploravenelia mesillana 81; portoricensis 82, 83
Hebeloma mesopheum 586
Helicobasidium 482
Helicomyces roseus 483
Helicostylum 358
Helminthosporium 210, 395, 824, 825, 910, 911, 985; subg. Helminthosporium 667; dematioideum 291, 910; halodes 667; holmii 667; monoceras 667; pedicellatum 665–668; rostratum 667; sativum 216–219; spiciferum 985; triseptatum 910; turcicum 375, 667
Hemileia 14–18
Hemitrichia stipitata 480; vesparium 480
Hericium 853
Herpobasidium 15, 16; filicinum 13, 16
Herpomyces macropus 718; panesthiae 718; paranensis 704–721; stylopygae 704, 709, 711, 714, 719
Heterochaete 855
Heterosporium 657–659; avenae 657; **petuniae 658;** phlei 658; phragmitis 657
Hirschioporus abietinus 482; pargamenus 481, 482
Histoplasma 886, 891; capsulatum 199, 776, 777
Hohenbuehelia geogenius 586
Holwaya leptosperma 114–128
Hormiscium 763
Hyalopsora 14–17, 470; polypodii 466
Hydnopolyporus palmatus 862
Hydnoporia fuscescens 482

Hydnum amplissimum 848; artocreas 847, 848; caryophylleum 850; chrysellum 850; chrysodon 850; chrysorhizum 854; ciliolatum 851; clavarioides 852; fascicularia 853; fragilissimum 854; halei 856; laeticolor 856, 857; laminiferum 857; murraii 859; nudum 859; nyssae 860; parasitans 861; pithyophilum 861, 862; plumarium 862; pyramidatum 862; saturatum 863; setosum 849, 866; setulosum 864; spathulatum 850, 862, 867, 869; stenodon 853; stipatum 854; subvelutinum 865; velatum 867; xanthum 868, 869
Hygrophoropsis aurantiaca 586
Hymenochaete 482; pinnatifida 482
Hymenula platani 834
Hyphoderma argillaceum 461
Hyphodontia pallidula 461; subalutacea 461
Hypochnus 506
Hypocrea 480; patella 480; rufa 480; schweinitzii 480; sulphurea 480
Hypocreopsis tremellicola 481
Hypomyces aurantius 481; chrysospermus 481; lactifluorum 415; polyporinus 481; rosellus 481; solani 135
Hyponectria **mohavensis 381,** 382
Hypoxylon deustum 802; fuscum 789–803; mammatum 800; pruinatum 766–775, 800, 801; rubiginosum 481; truncatum 480, 481

Illosporium 886; bonariense 826, 827
Inocybe cinnamomea 586
Inonotus ludovicianus 482
Iola 8, 14–18; javensis 13
Irpex depauperatus 865; discolor 852, 853, 863; fimbriaeformis 854; schweinitzii 864
Isaria palmae 483–485
Isoachlya 353, 357; eccentrica 830; itoana 830; monilifera 830; unispora 355

Jola javensis 2, 8

Kalmusia **pinicola 386**–388
Keratinomyces ajelloi 203, 210
Kernia nitida 481
Kloeckera 699
Kneiffia candidissima 849; fulva 855; gelatinosa 855; grisea 856; tessulata 866; wrightii 868
Kordyana 2

Laccaria laccata 586
Lactarius 482; indigo 482; sanguifluus 586
Lactobacillus 153; bulgaricus 190; delbrueckii 176, 177, 185, 190, 192; pastorianus 192; pentoaceticus 192
Laestadia veneta 835
Lamproderma arcyrionema 480; crec' hquerault ii 134; planchonis 131–134; trachycarpa 133
Lanomyces 2
Leccinum 452; **flavostipitatum 456;** subleucophaeum 449
Lentinellus sect. Lentinellus 939; sect. Pleuroti 939; **montanus 933**–941; vulpinus 586, 939; ursinus 939
Lentinus lepideus 942; **ponderosus** 935, **941**–943
Lenzites betulina 482
Leotia gelatinosa 119; lubrica 119; viscosa 114–128
Lepiota 482; clypeolaria 586; pyrenaea 317
Lepista irina 586; nuda 586
Leptographium 488, 886
Leptolegnia 625; caudata 830
Leptomitus lacteus 830
Leptosphaeria senegalensis 275–278
Leucopaxillus albissima var. lenta 586
Leucostoma persoonii 442–447
Licea operculata 480
Lignosus 588, 605, 606
Limacella gloioderma 586
Lophotrichus 931
Lycogala epidendrum 480; exiguum 480
Lycoperdon 482; marginatum 482; pyriforme 482
Lyophyllum 584–587; decastes 585; multiforme 585; palustre 585

Macrophoma 580
Malbranchea 200
Marasmius 482; siccus 482
Margarinomyces 892; microsperma 887, 888
Massaria 277
Massariosphaeria 277
Medusomyces gisevii 179
Melampsora 15, 18; larici-populina 663
Melampsorella 15, 465; caryophyllacearum 467, 468
Melampsoridium 15; hiratsukanum 469
Melanoleuca cognata 586
Melanospora damnosa 287; episphaeria 279; fallax 288; interna 279; lagenaria 481; moreaui 279, 287; ornata 279, 288; parasitica 287, 288; **tiffanii 279**–290; zamiae 279, 287, 288
Merulius 482; rubellus 482
Metasphaeria 277
Microdiplodia **hosackiae** 385, **390**
Microphoma 2
Microsporum canis 203, 210, 212; cookei 203; gypseum 203, 210, 969
Microstoma 654; protracta 651
Milesia 14, 15
Milesina 17; vogesiaca 466
Mohortia 15

Monascus purpureus 153, 179, 180
Monilia javanica 164
Monocillium humicola var. brunneum 886; var. humicola 886
Morchella 319; crassipes 262–274; esculenta 262, 269
Mortierella 154, 879; echinula 886; humilis 886; isabellina 886, 891; minutissima var. dubia 886; parvispora 886, 892; ramanniana var. angulispora 886; var. ramanniana 886; vinacea 877, 886–892
Mucor 150–154, 167, 184–186, 230, 634, 698; ambiguus 877; corticolus 167; dispersus 167; fragilis 886; genevensis 635; griseo-cyanus 733; hiemalis 167, 634–641, 877, 879, 886; meitauza 190; mucedo 634, 640, prainii 185, 189; racemosus 167; rouxii 188; saccardoi 226, 229; **saximontensis 874**–877; silvaticus 167, 886, 890; sufu 167
Mucronella aggregata 860
Mundkurella 335
Murogenella 776; terrophila 776–781
Mutinus elegans 482
Mycena 482, 558; haematopus 586
Mycoacia himantia 859; setosa 849, 866; stenodon 853
Mycoderma cerevisiae 192
Mycogone rosea 483
Mycophycophila corallinarum 381; **polyporolithi 379**–381
Mycosphaerella acicola 384; **hosackiae 384,** 385; pseudoacaciae 385
Mycotorula albicans 200
Myrothecium verrucaria 36
Myxosporella **venicola 390**

Naematoloma 482; capnoides 586
Nannizzia 969
Nectria coccinea 481; episphaeria 481; flavociliata 481; gliocladioides 415; lactea 481; peziza 481; rexiana 481; sulphurea 481
Neobulgaria 114–128; pura 114–128
Neuronectria peziza 415
Neurospora 135, 182, 801, 802, 809, 814, 816; crassa 24, 40, 620, 800; sitophila 192; tetrasperma 136
Nigredo andropogonis 111; clignyi 105; pedatata 111

Odontia 482; albo-miniata 848; archeri 868; arguta 860; barba-jovis 482, 860; ciliolata 851; eriozona 852, 853; hydnoidea 858; lateritia 848, 857, 858; spathulata 850, 862, 867, 869; stipata 854
Oedocephalum glomerulosum 877, 879; roseum 879
Oidiodendron 892; cerealis 888; citrinum 886; echinulatum 886; flavum 886, 888, 891; griseum 887; maius 887; tenuissimum 886–890; truncatum 886
Oidium 826; lactis 192
Olpidiopsis incrassata 357, 358
Omphalina umbilifera 586
Ophiobolus graminis 309
Ordonia 15; orthobasidion 15
Oudemansiella radicata 586
Ovulariopsis 826–828; bonariensis 826, 827
Oxydontia 482; chrysorhiza 482, 854; stenodon 482

Pachybasium 892; candidum var. candidum 886; var. trichodermatoides 886
Paecilomyces 186, 886, 891; carneus 888; farinosus 886; varioti 886
Panellus serotinus 586; stypticus 482, 586
Panus 482; sect. Panus 944; badius 482; conchatus 586; **fragilis** 936–**943**–945; rudis 482, 944; siparius 481
Paracoccidioides brasiliensis 199
Patella stercorea 481
Paullicorticium **minutum 461,** 462; pearsonii 462
Pelliculária filamentosa 91–103, 243; isabellina 462; lembospora 482; praticola 91–103; subcoronata 462
Penicillium 186, 267, 698, 763, 877, 880, 886; aurantio-violaceum 886; brevicompactum 886; camemberti 149; canadense 887–891; chrysogenum 40, 962; commune 877; decumbens 877; digitatum 886; diversum var. aureum 886, 892; duclauxi 886; frequentans 877; funiculosum 886, 877; griseofulvum 722, 723; herquei 886; islandicum 886; janthinellum 877; montanense 886; multicolor 886; notatum 722, 962; odoratum 886–891; palitans 886; purpurogenum 886; radulatum 888, 891; ramigena 877; resticulosum 886; rolfsii 886, 891, 892; roqueforti 149, 722; rubrum 886; rugulosum 877; sclerotiorum 620; spinulosum 886, 892; steckii 886; stoloniferum 886; thomii 886–890; variabile 888; verruculosum 886
Peniophora 482, 506; aurantiaca 482; calothrix 463; filamentosa 482; flavido-alba 482; pirina 463; roumeguerii 482
Perichaena corticalis 480; microspora 480
Periconia 886–891
Peridermium harknessii 664
Peronospora gaumanniana 2; parasitica 1
Pestalotia 887; funerea 733

Pezicula cinnamomea 481
Peziza succosa 481
Phaeolepiota aurea 317
Phaeosphaerella ricciae 386
Phellinus gilvus 482; isabellinus 482; punctatus 482
Phialocephala 887
Phialophora 371, 892; fastigiata 888, 892; obscura 887; richardsiae 887
Phialophorophoma litoralis 887
Phillipsia 654
Phlebia hydnoidea 858
Phlebopus lignicola 451; sulphureus 451
Phleogena faginea 482
Pholiota aurea 317; destruens 586; spectabilis 837, 838; squarrosa 318, 319
Phoma 887; hosackiae 385, 390
Phomatospora hyalina 481
Phomopsis citri 580; kalmiae 580, 581; mali 580; vexans 580
Phycomyces blakesleeanus 614, 620, 683–695; nitens 683
Phyllactinia corylea 827; var. subspiralis 827; **dalbergiae 827**; guttata 827; subspiralis 827
Phyllosticta 2
Phyllotopsis nidulans 586
Physalospora 576–580; corticia 579; entoxia 579; **kalmiae 577–579**; obtusa 579, 580; rhododendri 579; viscosa 579
Physarella oblonga 480, 988
Physarum 481; bogoriense 480; cinereum 480; flavicomum 360–367; globuliferum 480; melleum 480; nucleatum 480; nutans 480; polycephalum 360–366; pusillum 986, 987; roseum 480; stellatum 480; tenerum 480, 483; viride 480
Physoderma butomi 624; graminis 624–627
Phytophthora 85–90, 308; cactorum 85–89; capsici 86–89; erythroseptica 86–88; heveae 86–88; hibernalis 86–88; himalayensis 86–88; ilicis 86, 87; infestans 85, 625; megasperma 86, 87; paeoniae 85; sojae 86–88; syringae 86–89
Pilobolus 162
Piptocephalis virginiana 358
Pisolithus tinctorius 482
Pithya 654
Plenodomus meliloti 977–979
Pleochaeta 826–828; polychaeta 826, 827; shiraiana 827
Pleospora 404; herbarum 291–294, 298
Pleurotus 482
Plicaria planchonis 131; pseudoplanchonis 133
Plicatura crispa 586
Podospora 481; anserina 481; decipiens 481; hyalopilosa 481; immersa 481; neglecta 481; piriformis 481; pleiospora 481; vestita 481
Podosporiella **glomerata 395**, 396; humulis 395
Podosporium humile 395
Pogonomyces hydnoides 482
Polyangium flavum 738; fuscum 737; primigenium 737, 738; violaceum 738
Polyporus 482; sect. Amaurodermus 604; sect. Ganodermus 604; sect. Lignosus 605; adansonii 981; albobrunneus 46; albolutescens 52; amarus 642–648; aneirinus 55; bombycinus 57; colossus 979–982; dichrous 69; fragilis 52; hollandii 980, 983; leucocreas 981; licnoides 482; mutabilis 482; radiculosus 62; reticulatus 64; rhodellus 65; sacer 605; sanguineus 848; schweinitzii 272, 642, 975; scopulosus 605; sericeomollis 67, 68; sinuosus 71; tephroleucus 483; vaillantii 70; vaporarius 71; versicolor 243; viridans 65; xanthus 72
Polythrincium 307
Poria 43–76, 482, 864; albobrunnea 43–52; albolutescens 44–53, 60; alpina 44–55; aneirina 44–57; asiatica 67; bombycina 44–60; borbonica 482; carbonica 44–62; carneopallens 482; cinerascens 68; coniferarum 57; corticola 57; crassa 55; crustulina 72; dichroa 46; ferrea 393; fulvella 57; lenis 71; luteofibrata 64; microspora 68; mollusca 71; myceliosa 71; pannocincta 482; purpurea 65, 66, 69; radiculosa 44–64, 482; reticulata 44–66; rhodella 44–67; rufa 69; sericeomollis 45, 48, 67, 68; sinuosa 72; tarda 65, 66; taxicola 45, 48, 68, 69; terrestris 53; vaillantii 45–48, 60, 70, 71; vaporaria 45, 49, 71, 72; versispora 482; xantha 45, 49, 55, 72–74; xantha f. crassa 55
Poronia 481; punctata 802
Preussia 481
Proabsidia saccardoi 226, 230
Protoachlya 357
Protodontia piceicola 462
Protomyces 625
Psathyrella 757–760; **amarus 757–759**; longistriata 586; trepida 759
Pseudogymnoascus roseus 887
Pseudohydnum gelatinosum 114–128
Pseudomonas 161
Pseudomycoderma 200
Pseudostemphylium 904–912; **chlamydosporum 904–912**; consortiale 911; lanuginosum 911; radicinum 911
Puccinella clignyi 105; rottboelliae 110
Puccinia 18, 19; **angusii 818**, 819; anhweiana 820; asteris 477; aurea 820; **bengalensis 819**, 820; berberidis-

trifoliae 821; cacao 111; cinnamomea 820; confluens 477; coronata 782; cypripedii 820; dioicae 476; doloris 477; dovrensis 477; duthiae 108; erigerontis 477; **excursionis 476,** 477; glumarum 7; graminis 6–8, 15, 782; f. sp. tritici 309; grindeliae 477; habenariae 820; humationis 820; loudetiae 818; loudetiae-superbae 818; **mahoniae** 819, **821;** menthae 782; nasuensis 820; oncidii 820; phragmitis 782; rameliana 821; ramelianoides 821; recondita 7; russa 477; satyrii 820; sinicensis 820; stipae 477; striiformis 7; taihensis 820; tristachyae 818, 819; triticina 7, 782; vexans 818
Pucciniastrum 15; sparsum 469
Pullularia 771, 774; pullulans 774, 886, 890, 892
Pulveroboletus caespitosus 449; curtisii 449; hemichrysus 451, 452; var. mutabilis 452; **lignicola 451,** 452
Pycnoporus sanguineus 482
Pyronema confluens 620; omphalodes 293–299
Pythiomorpha gonapodyides 273
Pythiopsis cymosa 830
Pythium 417–430; acanthicum 417, 427; adhaerens 420; afertile 423, 429; angustatum 420; aphanidermatum 36–42; aristosporum 420, 427, 428; catenulatum 423; **coloratum 417**–421, 428, 429; complectens 420; conidiophorum 423; cystosiphon 420; debaryanum 216–219, 921; **dissimile 421**–425, 428, 429; dissotocum 420, 429; echinulatum 830; gracile 420; graminicolum 423; hypogynum 423, 425; irregulare 417; iwayamai 417; mamillatum 417; monospermum 830; myriotylum 420, 427, 429; oligandrum 417, 427; papillatum 423, 429; perniciosum 420, 429; **pyrilobum 423**–429; rostratum 417, 423; salpingophorum 423, 429; scleroteichum 420, 428, 429; splendens 427, 428; tardiscrescens 427, 429; torulosum 423, 429; ultimum 417, 420, 921

Radulum bennettii 849; magnoliae 858, 859; orbiculare 849; pallidum 860; rhabarbarinum 863; spinulosum 865
Ravenelia 77–84; arthuri 77, 80–83; cassiae-covesii 77, 81; dysocarpae 79; evernia 79; fragrans 77, 79; var. **evernia 79;** var. fragrans 77–80; longiana 81; mesillana 77–83; mimosae-albidae 77–81; mimosae-caeruleae 77–81; mimosae-sensitivae 77–81; mimosicola 77–81; portoricensis 82; **rubra** 80, **83;** sensitiva 79, 81
Rhizidiomyces apophysatus 946–961
Rhizoctonia 91–103; praticola 91, 94, 98; solani 91, 98
Rhizophydium sphaerotheca 957
Rhizopogon roseolus 749–756
Rhizopus 151–161, 181, 184, 185
Rhizopus achlamydosporus 157; arrhizus 157, 159, 877; cambodja 185; chinensis var. chungyuen 165, 167; formosaensis 157; oligosporus 150–163, 183, 193; oryzae 154–157, 163, 164; sonti 193; stolonifer 157, 635, 637
Rhodosticta quercina 442–447
Rhodotorula 699; glutinis 253
Rhodotus palmatus 586
Rigidiporus surinamensis 482
Rosellinia aquila 481; limoniispora 801, 802; subiculata 481
Rozella achlyae 357, 358
Russula emetica 749–756

Saccharomyces 135, 153, 185, 186, 699; busae tauricae 185; carbajali 192; cerevisiae 164, 241, 255; intermedius 195; rouxii 152, 153, 173–176, 183; soya 173; vordermannii 164
Saccoblastia 8, 15
Saprolegnia 353, 357, 358, 946; anisospora 830; asterophora 830; delica 355; diclina 355; ferax 355, 357, 830; furcata 830; megasperma 830; monoica 355, 830; parasitica 355; turfosa 830
Sarcina lutea 621
Sarcodontia fragilissima 854; stenodon 854
Sarcoscypha 654; occidentalis 481
Sarcosoma 114
Sarcoxylum aureum 481
Sartorya 537
Schizoblastosporion starkeyi-henricii 887, 890
Schizochytrium aggregatum 831, 832
Schizophyllum commune 236–261, 482, 543–561, 586; umbrinum 558
Schizothyrium acuum 383
Schroeteria 335
Scopulariopsis 887; brevicaulis 40
Scytinostroma 505, 519, 855; duriusculum 519; galactinum 482; portentosum 519
Secotium 482
Sepedonium chlorinum 483
Septobasidium 2, 9, 14, 15, 18, 482; polypodii 13
Septomyxa affinis 723, 730–734
Serpula 482
Solenia 482; candida 482; fasciculata 482
Sordaria 135; barbata 481; fimicola 24, 31, 136, 800; macrospora 31
Sorosporium 334; everhartii 339
Sparassis crispa 482

Spathulospora 927–932; phycophila 927–932
Sphacelotheca 334; sorghi 336
Sphaerella acicola 384; hosackiae 384; pseudoacaciae 385
Sphaeria asclepiadis 383; cellulosa 383; lactescentium 383; lilacina 383; pulveracea 865
Sphaeronema epiglaeum 483
Sphaeropsis 580
Sphaerostilbe aurantiicola 414
Sphagnicola obstricta 114–117, 122
Spirosphaera 888
Sporendonema epizoum 199
Sporidesmium **garryae 393,** 394
Sporidiobolus johnsonii 621
Sporobolomyces 138, 200, 237
Sporormia 481; ambigua 481; intermedia 481
Sporotrichum schenckii 886
Squamanita odorata 586
Stachybotrys atra 483
Stachylidium 888; theobromae 723, 732, 733
Steccherinum 482; adustum 482; ochraceum 482, 857; pulcherrimum 482; pusillum 481, 482
Stemonitis 481; axifera 480; fusca 480; splendens 480
Stemphylium 140, 142, 763; subg. Eustemphylium 910; subg. Pseudostemphylium 910
Stereum 482; australe 482; complicatum 482; gausapatum 482; lobatum 482; ostrea 482; striatum 482
Stevensomyces 483; palmae 484
Stilbella 483
Stilbocrea macrostoma 481
Streptococcus kefir 192; lactis 192
Streptomyces 722, 804–808, 962
Stropharia ambigua 586
Suillellus eastwoodiae 526
Suillus acidus 448; granulatus subsp. snellii 448; luteus 448, 749–756; punctipes 749–756; **sinuspaulianus 457;** tomentosus 449; unicolor 449
Syncephalastrum 186, 763
Synchytrium fulgens 625

Thamnidium 168; elegans 168
Thecopsora 8, 15
Thelephora 482; albido-brunnea 482; anthocephala 482; palmata 482
Thraustochytrium aureum 831, 832; roseum 831, 832
Thraustotheca 353, 357; clavata 355, 830
Thyronectria austro-americana 414
Thysanophora 892; longispora 887; penicillioides 886
Tieghemella coerulea 229; glauca 222, 226, 229; orchidis 226, 230; tieghemii 226, 227
Tilachlidium 888
Tilletia 334, 335; brevifaciens 333; buchloeana 339; caries 332, 338; controversa 333; earlei 338; tritici 332
Tilletiopsis 138
Togaria aurea 316–318
Tomophagus 588, 606, 979–984; colossus 980
Torulopsis 699; aeria 886–891; candida 890
Trachyderma 588, 606
Trametes 482; malicola 482; mollis 482; sepium 482; serialis 61; submurina 482
Trechispora diademifera 482
Tremella 483; concrescens 482; fuciformis 482; lutescens 482
Tremellodendron candidum 482; schweinitzii 482
Trichoderma 698, 763, 886–888; album 886, 888; viride 483, 733, 877, 879, 886–892
Tricholoma 587; equestre 586; pardinum 584, 586; pessundatum 586; saponaceum 586; virgatum 586
Tricholomopsis rutilans 586
Trichometasphaeria 824, 825; **pedicellatum 665–668**
Trichophyton terrestre 202, 203, 969, 970
Trichosporon pullulans 887
Trichothecium 186; roseum 733
Tripterospora erostrata 481
Tuber 563, 564
Tuberculina 782
Tubiporus erythropus 451; junquilleus 450, 451
Tubulicrinis angusta 462; calothrix 462; gracillima 463; sceptrifera 463
Tylopilus ballouii 449; felleus 483; ferrugineus 452, 453, indecisus 452, 453; plumbeoviolaceus 449; rhoadsiae 448; tabacinus 449
Tympanopsis acanthostroma 481
Tyromyces semipileatus 483

Uncinula 826; lynchii 826, 827; polychaeta 826
Uredinella 10, 14, 15, 18; coccidiophaga 13
Uredinopsis 14, 17; ceratophora 466; glabra 466; longimucronata 465; pteridis 466; struthiopteridis 465
Uredo 465, 470; **aztecana 469,** 470; **hidalgensis 821;** rottboelliae 111; sensitiva 79, 81; themedicola 105, 108
Urnula 114
Urocystis anemones 339
Uromyces 19, 104–113; amphilophidis-insculptae 105–108; andropogonis 104, 106, 111; andropogonis-annulati 104, 107, 108; apludae 107–109; betae 782; clignyi 104–108; gaeumanni 4; inayati

104, 106, 109, 110; pedatatus 111; phaseoli 399, 400; var. typica 397; polytriadicola 108; rottboelliae 110, 111; schoenanthi 104–109; triandrae 105, 108; vossiae 104, 107, 110, 111
Ustilago 334; fussii 333; hilariicola 628–633; hypodytes 332; maydis 339; sphaerogena 975; striiformis 338; violacea 339; vulgaris 802

Vararia 502–520; effuscata 503, 504, 511, 517, 518; **fibra** 502–**507**–509; granulosa 503, 504, 511, 517, 518; investiens 503–518; ochroleuca 509; pallescens 503–519; pectinata 507–519; peniophoroides 503–518; phyllophila 504–517; racemosa 504–510, 518; rhodospora 512, 514; **trinidadense** 504, 507, 508, 510, **515,** 516; **tropica** 502, 504, 507, 508, **516,** 517
Verticicladiella 488–490
Verticillium 782, 879, 886; albo-atrum 216–219, 343–351; dahliae 343; nigrescens 346, 347
Virgaria 887

Whitfordia 588, 605, 606; warburgiana 605

Xanthoconium purpureum 449
Xenasma 967, 968; **californicum 967,** 968; insperatum 968; minutum 461; pulverulentum 463
Xeromphalina campanella 483; tenuipes 586
Xerulina chrysopepla 586
Xylaria carpophila 481; corniformis 481; hypoxylon 481; ianthino-velutina 481; polymorpha 802; tentaculata 802
Xylobolus frustulatus 483; subpileatus 481, 483
Xylomyzon taxicola 68

Zygomonas mobilis 195
Zygopichia japonica 173
Zygorhynchus 876; dangeardi 635, 639; moelleri 877
Zygosaccharomyces 176; japonica var. soya 173; soya 173
Zygospermella 481